



Sky Bright Slim Line

Description:

Introducing our sleek LED Ceiling Surface Mount Light, a perfect blend of style and functionality. With its slim design, this light fixture seamlessly integrates into any space, fitting neatly on a standard ceiling junction box. It offers 3CCT tunable capability, allowing you to adjust the color temperature for the desired ambiance. Additionally, it is dimmable, giving you control over the brightness. Experience the perfect lighting solution that is both stylish and efficient.



Model: SBS

Optical:

| | |
|-----------------|------------------------------|
| CCT: | 3CCT or 5CCT |
| Out put: | 2000LM 12" @25W CRI 80 4000K |
| Lumen Efficacy: | 83 LM/W |
| LED Type: | SMD2835 / 56PCS |
| CRI: | >80 |

Electrical:

| | |
|----------------------|--------------------|
| Rated Power: | 8W,11W,14W,20W,25W |
| Input voltage: | AC 120V / 60Hz 120 |
| Beam angle: | 120° |
| Power factor/THD/PE: | >90% / <30 / 70% |

Life:

| | |
|------------|-----------|
| lifespan : | 50,000hrs |
| Warranty: | 3 Years |

General:

| | |
|------------------------|--------|
| Dimmable Solution: IP: | Triac |
| Finish color | IP20 |
| Availability: | white |
| Certification: | cETLus |





Sky Bright Slim Line

5"

7"

9"

12"



Dry Location



| Size | Lumens | | Watt | Dimension |
|------|-----------|-----------|------|--------------|
| 5" | 480@CR80 | 400@CR90 | 8 | 135 X17.5 mm |
| 5" | 765@CR80 | 650@CR90 | 11 | 135 X17.5 mm |
| 7" | 980@CR80 | 830@CR90 | 14 | 180X17.5 mm |
| 9" | 1400@CR80 | 1190@CR90 | 20 | 225 X17.5 mm |
| 12" | 2000@CR80 | 1700@CR90 | 25 | 300 X17.5 mm |

Wet location




| Size | Lumens | | Watt | Dimension |
|------|-------------|-----------|------|------------|
| 5" | 550lm@CR80 | 450@CR90 | 8 | 135X13 mm |
| 7" | 840lm@CR80 | 700@CR90 | 12 | 180X13 mm |
| 9" | 1280lm@CR80 | 1100@CR90 | 18 | 225X13 mm |
| 12" | 1680lm@CR80 | 1500@CR90 | 24 | 300X 13 mm |

Example :SBS-11-3C-W

| Model | Size/Power | CCT | Environment | Accessories |
|-------|---|--|----------------|--|
| SBS | 5"-8W:08 5"-11W:11 7"-14W:14 9"-20W:20 12"-25W:25 | 3000K/4000K/5000K : 3C 2700K/3000K/3500K/4000K/5000K : 5C | Dry:D Wet:W | Black Frame : FB Silver Frame: FS White : None |




Sky Bright Slim Line





Sky Bright Slim Line



Warm White

Neutral Light

Daylight White



Front light color temperature
3000K 4000K and 5000K adjustable

